

Product: Acqua Bitumen

Date of last revision 27/02/2019	Number of last revision: 2	SDS Nº 2	Page 1 of 7
-------------------------------------	-------------------------------	-------------	----------------

## 1. Identification

---

**Product identifier:** Acqua Bitumen

**Recommended use of the chemical:** Used for ageing effects on wood, plaster, leather, ceramic and metals.

**Identification Code:** 19210

**Supplier's name:** Acrilex Tintas Especiais S.A.

**Address:** Estrada Galvão Bueno, Nº 5000 - Batistini

**Complement:** São Bernardo do Campo - São Paulo

**Supplier's phone number:** (11) 4397-9255

**Emergency phone number:** (11) 4397-9258

---

## 2. Hazard identification

---

**Classification of the substance or mixture:** Flammable liquids: Category 3 - Eye damage/irritation: Category 2B - Sensitization – skin: Category 1 - Specific target organ toxicity (repeated exposure): Category 2 - Hazardous to the aquatic environment – short-term (acute) hazard: Category 1

### GHS labelling



**Signal Word:** Warning

**Hazard Statement:** H226 - Flammable liquid and vapour . H320 - Causes eye irritation . H317 - May cause an allergic skin reaction . H373 - May cause damage to organs. kidneys, liver and central nervous system. through prolonged or repeated exposure . if swallowed. H400 - Very toxic to aquatic life .

**Precautionary statements:**

- **General:** P102 - Keep out of reach of children.
- **Prevention:** P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources . No smoking.
- **Response:** P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- **Storage:** P235 - Keep cool.
- **Disposal:** P501 - Dispose of contents/container to authorized installation.

**Other hazards which do not result in classification:** The presence of the asphalt solution in the product can cause irritation to the mouth and throat, and digestive tract disorder. if inhaled can cause respiratory irritation

**Other information:** Inflammable product.

---



Product: Acqua Bitumen

<b>Date of last revision</b> 27/02/2019	<b>Number of last revision:</b> 2	<b>SDS N°</b> 2	<b>Page</b> 2 of 7
--------------------------------------------	--------------------------------------	--------------------	-----------------------

### 3. Composition/Information on ingredients

---

**Product Type:** Mixture

**Hazardous ingredients or impurities and/or stabilizing additives which contribute to hazard classification:**

Chemical identity	CAS N°	Percentages or ranges of percentages
Xylene	1330-20-7	20 - 25
Asphalt (bitumen)	8052-42-4	20 - 25

---

### 4. First-aid measures

---

#### First-aid measures

- **Inhalation:** Remove the victim to fresh air and keep at rest in a comfortable position for breathing. Seek for medical assistance.
- **Skin contact:** Remove contaminated clothing, wash with water and soap. Seek for medical assistance.
- **Eye contact:** Wash with plenty water for 15 minutes, keep the eyelids open. Seek for medical assistance.
- **Ingestion:** Do NOT induce vomiting. Seek for medical assistance.

**Most important symptoms/effects, acute and delayed:** Cause eye irritation. May cause an allergic skin reaction. May cause damage to organs: kidney, liver and central nervous system. Through prolonged or repeated exposure. The presence of the asphalt solution in the product can cause irritation to the mouth and throat, and digestive tract disorder. If inhaled can cause respiratory irritation.

**Indication of immediate medical attention and special treatment:** Symptomatic treatment.

---

### 5. Fire-fighting measures

---

**Suitable extinguishing media:** Hydrocarbons foam, Foam extinguishers, dry chemical powder, CO<sub>2</sub> (carbon dioxide), water nebulization. Cool off the burning packages and take packages which were not affected away from the flames.

**Unsuitable extinguishing media:** Direct water jet.

**Specific hazards arising from the chemical:** It may release toxic gases during the burning.

**Special protective actions for fire-fighters:** Use self-contained clothing and adequate protection.

---

### 6. Accidental release measures

---

#### Personal precautions, protective equipment and emergency procedures

- **For non-emergency personnel:** Personal protective equipment.



## Safety Data Sheet (SDS)

Product: Acqua Bitumen

<b>Date of last revision</b> 27/02/2019	<b>Number of last revision:</b> 2	<b>SDS N°</b> 2	<b>Page</b> 3 of 7
--------------------------------------------	--------------------------------------	--------------------	-----------------------

- **For emergency responders:** Personal protective equipment.

**Environmental precautions:** Shut off leak if possible, avoid contamination of rivers, lakes and water sources by preventing the flow of material into water streams, pipelines and water facilities.

**Methods and materials for containment:** Absorb with soil or other absorbent material.

**Area isolation:** Keep unauthorized persons away from the area.

**Methods and materials for cleaning up:** The cleaning of the place should be made with water and mild detergent. Collect the material in metallic / plastic drums and in good conditions. Disposal must be performed according to the local legislation in force.

---

## 7. Handling and storage

---

### Precautions for safe handling

- **Prevention of workers exposure:** Handle in accordance with established safety standards. Use personal protective equipment.
- **Fire and explosion:** Ground equipment when handling. Do not smoke. Do not handle the product near heat sources or ignition.
- **Precautions for safe handling:** Use appropriate personal protective equipment. Avoid contact with skin, eyes and mucous membranes. Handle the product in a cool and well ventilated place. Do not reuse the package. Do not smoke, eat or drink in the product handling area.
- **Hygiene measures**
  - **Suitable:** Wash your hands before eating, drinking or using the toilet. Contaminated clothes should be changed and washed before reuse.
  - **Unsuitable:** Do not eat, drink or smoke during the product handling.

### Conditions for safe storage

- **Conditions for safe storage:** Store the product in cool, dry and ventilated areas away from heat, ignition sources, food and oxidizing agents. Keep packages always closed.
- **Conditions to avoid including incompatibilities:** Avoid wet areas, outdoor, and without ventilation. Do not store the product with explosive materials, flammable gases and/or toxic, oxidizing substances, corrosive, organic peroxides, spontaneous combustion materials and radioactive Conditions to avoid, including materials.
- **Packaging materials**
  - **Suitable:** Metallic drums coated internally with varnish and/or plastic containers.
  - **Unsuitable:** Not Available.

**Other information:** Not Available.

---

## 8. Exposure controls/personal protection

---

**Control parameters**



**Product:** Acqua Bitumen

<b>Date of last revision</b> 27/02/2019	<b>Number of last revision:</b> 2	<b>SDS N°</b> 2	<b>Page</b> 4 of 7
--------------------------------------------	--------------------------------------	--------------------	-----------------------

- **Occupational exposure limits:** Not Available.
- **Biological indicators values:** Not Available.
- **Other limits and values:** Not Available.

**Appropriate engineering controls:** Maintain adequate ventilation. Keep emergency shower and eye shower close to workplaces.

**Individual protection measures, such as personal protective equipment**

- **Eye/face protection:** Safety glasses for chemical products.
- **Skin protection:** Gloves, PVC apron and closed shoes according to working conditions.
- **Respiratory protection:** Mask with chemical filter for organic vapor protection.
- **Hands protection:** PVC gloves or others resistant to organic solvents.
- **Thermal hazards:** Not available.

**Other information:** Not Available.

---

## 9. Physical and chemical properties

---

- **Appearance**  
**Physical state:** Liquid; **Form:** Liquid; **Color:** Black
- **Odour:** Typical
- **Odour threshold:** Not available.
- **pH:** 8,0 - 9,0
- **Melting point/freezing point:** Not available.
- **Initial boiling point:** Not available.
- **Boiling range:** Not available.
- **Flash point:** 40 °C Test: (closed cup)
- **Evaporation rate:** Not available.
- **Flammability (solid, gas):** Not available.
- **Lower flammability or explosive limits:** Not available.
- **Upper flammability or explosive limits:** Not available.
- **Vapour pressure:** Not available.
- **Vapour density:** Not available.
- **Relative density:** 0.975 – 0,980 g/cm<sup>3</sup> (variable according to color).
- **Solubility(ies):** water-soluble.
- **Partition coefficient: n-octanol/water:** Not available.
- **Auto-ignition temperature:** Not available.
- **Decomposition temperature:** Not available.
- **Viscosity:** Not available.
- **Additional information:** Not available.

---

## 10. Stability and reactivity



## Safety Data Sheet (SDS)

Product: Acqua Bitumen

<b>Date of last revision</b> 27/02/2019	<b>Number of last revision:</b> 2	<b>SDS N°</b> 2	<b>Page</b> 5 of 7
--------------------------------------------	--------------------------------------	--------------------	-----------------------

**Chemical stability:** Stable in normal conditions of storage and handling.

**Reactivity:** Not available.

**Possibility of hazardous reactions:** None, when the product is stored, handled and processed correctly.

**Conditions to avoid:** Exposure to high temperatures for prolonged periods may cause changes in the product.

**Incompatible materials:** Not available.

**Hazardous decomposition products:** Can release toxic gases during firing.

### 11. Toxicological information

**Acute toxicity:** The product is not classified for this hazard according to GHS. Atemix Oral 10000 .Atemix Inhalation 44.

**Skin corrosion/irritation:** The product is not classified for this hazard according to GHS.

**Serious eye damage/irritation:** Causes eye irritation.

**Respiratory or skin sensitization:** May cause an allergic skin reaction.

**Germ cell mutagenicity:** The product is not classified for this hazard according to GHS.

**Carcinogenicity:** The product is not classified for this hazard according to GHS.

**Reproductive toxicity:** The product is not classified for this hazard according to GHS.

**STOT-single exposure:** The product is not classified for this hazard according to GHS.

**STOT-repeated exposure:** May cause damage to organs: kidney, liver and central nervous system. Through prolonged or repeated exposure.

**Aspiration hazard:** May be fatal if swallowed and enters airways.

**Additional information:** The presence of the asphalt solution in the product can cause irritation to the mouth and throat, and digestive tract disorder. If inhaled can cause respiratory irritation.

### 12. Ecological information

**Toxicity:** Very toxic to aquatic life.

**Persistence and degradability:** Not available.

**Bio accumulative potential:** Not available.

**Mobility in soil:** Not available.

**Other adverse effects:** Product miscible in water. Avoid contamination of rivers, lakes and water sources preventing the flow of material into waterways, pipelines and galleries.

### 13. Disposal considerations

#### Disposal methods

- **Product:** The treatment and disposal of the product should be technically evaluated, case by case. Remaining products must be discarded in authorized installation.



**Product:** Acqua Bitumen

<b>Date of last revision</b> 27/02/2019	<b>Number of last revision:</b> 2	<b>SDS N°</b> 2	<b>Page</b> 6 of 7
--------------------------------------------	--------------------------------------	--------------------	-----------------------

- **Used package:** Discard in authorized installation. Do not reuse the package.

---

## 14. Transport information

---

### National and international regulations:

#### Land Transport:

- **UN Number:** 1999
- **UN Proper Shipping Name:** TARS, LIQUID, including road oils, and cutback bitumens
- **Class or division:** 3 - Flammable liquids
- **Risk number:** 30
- **UN Packing group:** III
- **Technical name:** Acqua Bitumen
- **Environmental hazards:** Yes
- **Terrestrial (Road) Transport Regulation:** ONU - Orange Book

#### Sea Transport:

- **IMDG/GGVSea/ONU:** ONU 1999
- **Transport hazard class(es):** 3
- **UN Packing group:** III
- **Technical name:** Acqua Bitumen
- **Marine Pollutant:** Yes
- **Waterway Transport Regulation:** - IMDG Code handbook (International Maritime Dangerous Goods Code) from IMO (International Maritime Organization)

#### Aerial Transport:

- **ICAO/IATA/ONU:** ONU 1999
- **Transport hazard class(es):** 3
- **UN Packing group:** III
- **Technical name:** Acqua Bitumen
- **Environmental hazards:** Yes
- **Aerial Transport Regulation:** - IATA handbook (International Air Transportation Association)

---

## 15. Regulatory information

---

### Safety, health and environmental regulations specific for the product:

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

---

## 16. Other information



## Safety Data Sheet (SDS)

**Product:** Acqua Bitumen

<b>Date of last revision</b> 27/02/2019	<b>Number of last revision:</b> 2	<b>SDS N°</b> 2	<b>Page</b> 7 of 7
--------------------------------------------	--------------------------------------	--------------------	-----------------------

---

**Other information that does not belong in other sections:**

This Safety Data Sheet (SDS) has been prepared based on current knowledge about chemicals and provides information about protection, safety, health and environment. It is warned that any chemical handling requires prior knowledge of its hazards by the user. The user company is responsible to promote the training of its employees about the potential product risks.

**References:** [ECHA] EUROPEAN CHEMICAL AGENCY. Available in: <http://echa.europa.eu/>  
[HSNO] NEW ZEALAND HSNO Chemical Classification and Information Database (CCID)  
[OSHA] OSHA'S Hazard Communication. Available in: <https://www.osha.gov/dsg/hazcom/>  
[GHS] Globally Harmonized System of Classification and Labelling of Chemicals

**Subtitles and abbreviations:** ACGIH - American Conference of Governmental Industrial

BCF - Bioconcentration factor

CAS - Chemical Abstracts Service