

Product: Craquelex Paint Primer

Date of last revision 27/02/2019	Number of last revision: 4	SDS Nº 78	Page 1 of 6
--	--------------------------------------	---------------------	-----------------------

1. Identification

Product identifier: Craquelex Paint Primer

Recommended use of the chemical: Used to speed up and make the application of the Craquelex Paint easier and faster. Apply with brush on prepared and painted surfaces such as wood, wood, MDF, plaster, canvas and ceramic. (test before using on other surfaces). Wait for it to dry (approx. 5 minutes) before applying the Craquelex Paint. The cracking effects show up after the Craquelex Paint drying time (approx. 2 hours).

Identification Code: 20937

Supplier's name: Acrilex Tintas Especiais S.A.

Address: Estrada Galvão Bueno, Nº 5000 - Batistini

Complement: São Bernardo do Campo - São Paulo

Supplier's phone number: (11) 4397-9255

Emergency phone number: (11) 4397-9258

2. Hazard identification

Classification of the substance or mixture: Skin corrosion/irritation: Category 3 - Eye damage/irritation: Category 2A - Sensitization – skin: Category 1 - Hazardous to the aquatic environment – short-term (acute) hazard: Category 2

GHS labelling



Signal Word: Warning

Hazard Statement: H316 - Causes mild skin irritation . H319 - Causes serious eye irritation . H317 - May cause an allergic skin reaction . H401 - Toxic to aquatic life .

Precautionary statements:

- **General:** P102 - Keep out of reach of children.
- **Prevention:** P264 - Wash... thoroughly after handling.
- **Response:** P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P302 + P352 - IF ON SKIN: Wash with plenty water.
- **Storage:** NE - Not required
- **Disposal:** P501 - Dispose of contents/container to in a suitable place.

Other hazards which do not result in classification: Product not suitable for use on skin

Other information: Product not recommended for children up to 3 years



Product: Craquelex Paint Primer

Date of last revision 27/02/2019	Number of last revision: 4	SDS N° 78	Page 2 of 6
-------------------------------------	-------------------------------	--------------	----------------

3. Composition/Information on ingredients

Product Type: Mixture

Hazardous ingredients or impurities and/or stabilizing additives which contribute to hazard classification:

Chemical identity	CAS N°	Percentages or ranges of percentages
5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H -isothiazol-3-one (3:1)	55965-84-9	0,005
bronopol	52-51-7	0,02

4. First-aid measures

First-aid measures

- **Inhalation:** Remove the victim to fresh air and keep at rest in a comfortable position for breathing. Seek for medical assistance.
- **Skin contact:** Remove contaminated clothing, wash with water and soap. Seek for medical assistance.
- **Eye contact:** Wash with plenty water for 15 minutes, keep the eyelids open. Seek for medical assistance.
- **Ingestion:** Do NOT induce vomiting. Seek for medical assistance.

Most important symptoms/effects, acute and delayed: Causes mild skin irritation. causes serious eye irritation. May cause an allergic skin reaction.

Indication of immediate medical attention and special treatment: Symptomatic treatment.

5. Fire-fighting measures

Suitable extinguishing media: Foam extinguishers, dry chemical powder, CO2 (carbon dioxide), water nebulization. Cool off the burning packages and take packages which were not affected away from the flames.

Unsuitable extinguishing media: Direct water jet.

Specific hazards arising from the chemical: It may release toxic gases during the burning.

Special protective actions for fire-fighters: Use self-contained clothing and adequate protection.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- **For non-emergency personnel:** Personal protective equipment.



Safety Data Sheet (SDS)

Product: Craquelex Paint Primer

Date of last revision 27/02/2019	Number of last revision: 4	SDS N° 78	Page 3 of 6
--	--------------------------------------	---------------------	-----------------------

- **For emergency responders:** Personal protective equipment.

Environmental precautions: Shut off leak if possible, avoid contamination of rivers, lakes and water sources by preventing the flow of material into water streams, pipelines and water facilities.

Methods and materials for containment: Absorb with soil or other absorbent material.

Area isolation: Keep unauthorized persons away from the area.

Methods and materials for cleaning up: The cleaning of the place should be made with water and mild detergent. Collect the material in metallic / plastic drums and in good conditions. Disposal must be performed according to the local legislation in force.

7. Handling and storage

Precautions for safe handling

- **Prevention of workers exposure:** Handle in accordance with established safety standards. Use personal protective equipment.
- **Fire and explosion:** Non flammable
- **Precautions for safe handling:** Use appropriate personal protective equipment. Avoid contact with skin, eyes and mucous membranes. Handle the product in a cool and well ventilated place.
- **Hygiene measures**
 - **Suitable:** Wash your hands before eating, drinking or using the toilet. Contaminated clothes should be changed and washed before reuse.
 - **Unsuitable:** Do not eat, drink or smoke during the product handling.

Conditions for safe storage

- **Conditions for safe storage:** Store the product in cool, dry and ventilated areas away from heat, ignition sources, food and oxidizing agents. Keep packages always closed.
- **Conditions to avoid including incompatibilities:** Avoid wet areas, outdoor, and without ventilation. Do not store the product with explosive materials, flammable gases and/or toxic, oxidizing substances, corrosive, organic peroxides, spontaneous combustion materials and radioactive Conditions to avoid, including materials.
- **Packaging materials**
 - **Suitable:** Metallic drums coated internally with varnish and/or plastic containers.
 - **Unsuitable:** Not Available.

Other information: Not Available.

8. Exposure controls/personal protection

Control parameters

- **Occupational exposure limits:** Not Available.



Safety Data Sheet (SDS)

Product: Craquelex Paint Primer

Date of last revision 27/02/2019	Number of last revision: 4	SDS N° 78	Page 4 of 6
--	--------------------------------------	---------------------	-----------------------

- **Biological indicators values:** Not Available.
- **Other limits and values:** Not Available.

Appropriate engineering controls: Maintain adequate ventilation. Keep emergency shower and eye shower close to workplaces.

Individual protection measures, such as personal protective equipment

- **Eye/face protection:** Safety glasses for chemical products.
- **Skin protection:** Gloves, PVC apron and closed shoes according to working conditions.
- **Respiratory protection:** Mask with chemical filter for organic vapor protection.
- **Hands protection:** PVC gloves or others resistant to organic solvents.
- **Thermal hazards:** Not available.

Other information: Not Available.

9. Physical and chemical properties

- **Appearance**
Physical state: Liquid.; **Form:** Liquid; **Color:** Milky
- **Odour:** Typical.
- **Odour threshold:** Not available.
- **pH:** 4,0 - 5,0
- **Melting point/freezing point:** Not available.
- **Initial boiling point:** Not available.
- **Boiling range:** Not available.
- **Flash point:** > 100 °C Test: (closed cup)
- **Evaporation rate:** Not available.
- **Flammability (solid, gas):** Not available.
- **Lower flammability or explosive limits:** Not available.
- **Upper flammability or explosive limits:** Not available.
- **Vapour pressure:** Not available
- **Vapour density:** Not available.
- **Relative density:** 1,020 - 1,050 g/cm³
- **Solubility(ies):** water-soluble.
- **Partition coefficient: n-octanol/water:** Not available.
- **Auto-ignition temperature:** Not available.
- **Decomposition temperature:** Not available.
- **Viscosity:** 5.000 - 7.000 Poise

10. Stability and reactivity



Safety Data Sheet (SDS)

Product: Craquelex Paint Primer

Date of last revision 27/02/2019	Number of last revision: 4	SDS N° 78	Page 5 of 6
-------------------------------------	-------------------------------	--------------	----------------

Chemical stability: Stable in normal conditions of storage and handling.

Reactivity: Not available.

Possibility of hazardous reactions: None, when the product is stored, handled and processed correctly.

Conditions to avoid: Exposure to high temperatures for prolonged periods may cause changes in the product.

Incompatible materials: Not available.

Hazardous decomposition products: Not available.

11. Toxicological information

Acute toxicity: The product is not classified for this hazard according to GHS.

Skin corrosion/irritation: Causes mild skin irritation

Serious eye damage/irritation: Causes serious eye irritation

Respiratory or skin sensitization: May cause allergic skin reactions

Germ cell mutagenicity: The product is not classified for this hazard according to GHS.

Carcinogenicity: The product is not classified for this hazard according to GHS.

Reproductive toxicity: The product is not classified for this hazard according to GHS.

STOT-single exposure: The product is not classified for this hazard according to GHS.

STOT-repeated exposure: The product is not classified for this hazard according to GHS.

Aspiration hazard: The product is not classified for this hazard according to GHS.

Additional information: Not available.

12. Ecological information

Toxicity: The product is not classified for this hazard according to GHS.

Persistence and degradability: Not available.

Bio accumulative potential: Not available.

Mobility in soil: Not available.

Other adverse effects: Product miscible in water. Avoid contamination of rivers, lakes and water sources preventing the flow of material into waterways, pipelines and galleries.

13. Disposal considerations

Disposal methods

- **Product:** The treatment and disposal of the product should be technically evaluated, case by case. Remaining products must be discarded in authorized installation.
- **Used package:** Do not reuse packaging

14. Transport information



Safety Data Sheet (SDS)

Product: Craquelex Paint Primer

Date of last revision 27/02/2019	Number of last revision: 4	SDS N° 78	Page 6 of 6
--	--------------------------------------	---------------------	-----------------------

National and international regulations:

Land Transport:

Technical name: Craquelex Paint Primer

Additional information: The characteristics of the product does not meet the official criteria of dangerous goods for purposes of transportation.

15. Regulatory information

Safety, health and environmental regulations specific for the product:

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

16. Other information

Other information that does not belong in other sections:

This Safety Data Sheet (SDS) has been prepared based on current knowledge about chemicals and provides information about protection, safety, health and environment. It is warned that any chemical handling requires prior knowledge of its hazards by the user. The user company is responsible to promote the training of its employees about the potential product risks.

References: [ECHA] EUROPEAN CHEMICAL AGENCY. Available in: <http://echa.europa.eu/>

[HSNO] NEW ZEALAND HSNO Chemical Classification and Information Database (CCID)

[OSHA] OSHA'S Hazard Communication. Available in: <https://www.osha.gov/dsg/hazcom/>

[GHS] Globally Harmonized System of Classification and Labelling of Chemicals

Subtitles and abbreviations: ACGIH - American Conference of Governmental Industrial

BCF - Bioconcentration factor

CAS - Chemical Abstracts Service